

---

# **supervisorctl-serialrestart Documentation**

*Release 0.1.1*

**Sven Richter**

June 24, 2015



<b>1</b>	<b>Supervisor serialrestart</b>	<b>3</b>
<b>2</b>	<b>Installation</b>	<b>5</b>
<b>3</b>	<b>Usage</b>	<b>7</b>
<b>4</b>	<b>Contributing</b>	<b>9</b>
4.1	Types of Contributions . . . . .	9
4.2	Get Started! . . . . .	10
4.3	Pull Request Guidelines . . . . .	10
4.4	Tips . . . . .	10
<b>5</b>	<b>Credits</b>	<b>13</b>
5.1	Development Lead . . . . .	13
5.2	Contributors . . . . .	13
<b>6</b>	<b>History</b>	<b>15</b>
<b>7</b>	<b>Indices and tables</b>	<b>17</b>



Contents:



---

## Supervisor serialrestart

---

Adds `serialrestart` command to [Supervisor](#). This command works similar to `restart` but if you have multiple services, it sometimes is preferable to restart them one after another to minimize downtime.

It even supports wildcards.

- Free software: BSD license
- Documentation: <http://supervisor-serialrestart.rtfld.org>.





---

# Installation

---

At the command line:

```
$ easy_install supervisor-serialrestart
```

Or:

```
$ pip install supervisor-serialrestart
```

And then add into your supervisor.conf:

```
[ctlplugin:serialrestart]
supervisor.ctl_factory = supervisorserialrestart.controllerplugin:make_serialrestart_controllerplugin
```



---

**Usage**

---

```
supervisor> status
baz:bar                RUNNING
baz:foo                RUNNING
one                    RUNNING
```

```
supervisor> serialrestart all
baz:bar: stopped
baz:bar: started
baz:foo: stopped
baz:foo: started
one: stopped
one: started
```

```
supervisor> serialrestart baz:*
baz:bar: stopped
baz:bar: started
baz:foo: stopped
baz:foo: started
```

```
$supervisor> serialrestart baz:b*
baz:bar: stopped
baz:bar: started
```



---

## Contributing

---

Contributions are welcome, and they are greatly appreciated! Every little bit helps, and credit will always be given. You can contribute in many ways:

### 4.1 Types of Contributions

#### 4.1.1 Report Bugs

Report bugs at <https://github.com/native2k/supervisor-serialrestart/issues>.

If you are reporting a bug, please include:

- Your operating system name and version.
- Any details about your local setup that might be helpful in troubleshooting.
- Detailed steps to reproduce the bug.

#### 4.1.2 Fix Bugs

Look through the GitHub issues for bugs. Anything tagged with “bug” is open to whoever wants to implement it.

#### 4.1.3 Implement Features

Look through the GitHub issues for features. Anything tagged with “feature” is open to whoever wants to implement it.

#### 4.1.4 Submit Feedback

The best way to send feedback is to file an issue at <https://github.com/native2k/supervisor-serialrestart/issues>.

If you are proposing a feature:

- Explain in detail how it would work.
- Keep the scope as narrow as possible, to make it easier to implement.
- Remember that this is a volunteer-driven project, and that contributions are welcome :)

## 4.2 Get Started!

Ready to contribute? Here's how to set up *supervisor-serialrestart* for local development.

1. Fork the *supervisor-serialrestart* repo on GitHub.
2. Clone your fork locally:

```
$ git clone git@github.com:your_name_here/supervisor-serialrestart.git
```

3. Install your local copy into a virtualenv. Assuming you have virtualenvwrapper installed, this is how you set up your fork for local development:

```
$ mkvirtualenv supervisor-serialrestart
$ cd supervisor-serialrestart/
$ python setup.py develop
```

4. Create a branch for local development:

```
$ git checkout -b name-of-your-bugfix-or-feature
```

Now you can make your changes locally.

5. When you're done making changes, check that your changes pass flake8 and the tests, including testing other Python versions with tox:

```
$ flake8 supervisorserialrestart tests
    $ python setup.py test
$ tox
```

To get flake8 and tox, just pip install them into your virtualenv.

6. Commit your changes and push your branch to GitHub:

```
$ git add .
$ git commit -m "Your detailed description of your changes."
$ git push origin name-of-your-bugfix-or-feature
```

7. Submit a pull request through the GitHub website.

## 4.3 Pull Request Guidelines

Before you submit a pull request, check that it meets these guidelines:

1. The pull request should include tests.
2. If the pull request adds functionality, the docs should be updated. Put your new functionality into a function with a docstring, and add the feature to the list in README.rst.
3. The pull request should work for Python 2.6, and 2.7 and for PyPy. Check [https://travis-ci.org/native2k/supervisor-serialrestart/pull\\_requests](https://travis-ci.org/native2k/supervisor-serialrestart/pull_requests) and make sure that the tests pass for all supported Python versions.

## 4.4 Tips

To run a subset of tests:

```
$ python -m unittest tests.test_supervisor-serialrestart
```





---

**Credits**

---

## 5.1 Development Lead

- Sven Richter <[native2k@gmail.com](mailto:native2k@gmail.com)>

## 5.2 Contributors

None yet. Why not be the first?



---

## History

---

- **0.1.1 (2013-10-29)**
  - just fixed documentation/project structure
- **0.1.0 (2013-10-16)**
  - First release on PyPI.



---

## Indices and tables

---

- `genindex`
- `modindex`
- `search`